


f **foliot** Collection



Hospitality.

foliot.com

Finishes, Pulls & Textiles

1 YEAR WARRANTY

Casegood Finishes

Matching edgebanding available.



F008



F232



F294



F174



F249



F235



F179



F189



F282



F258



F187



F280



F250



F165



F234



F157



F223



F257



F762



F003

Accent Finishes



F229


F215

F212

F253

- TFL suitable for all surfaces; HPL recommended for tops.
- Use casegood finishes to select coordinating edgebanding.

Metal Finishes



M010-ST

M003-ST

**DESIGNER
SELECTION**

Custom finishes available, subject to minimum order quantities and made-to-order timelines.

Stone Finishes


Custom finishes are available, subject to minimum order quantities and made-to-order lead times.




ST-002




ST-040




ST-015



ST-039




ST-023



ST-029



ST-027



ST-028



**DESIGNER
SELECTION**

RESISTANCE	<ul style="list-style-type: none"> • Stain-resistant • Scratch-resistant • Impact-resistant 	<p>Custom finishes are available.</p> <p>•</p> <p>Subject to minimum order quantities and made-to-order lead times.</p>
POROSITY	Non-porous - does not require sealing	
MAINTENANCE	Low-maintenance - clean with mild soap and water	
HYGIENE	Hygienic surface - prevents bacteria and mold	

 ADA-compliant



PGI-170

Length: 10 9/16"

Finish: Grey Powder Coat



PGI-172

Length: 15 5/8"

Finish: Grey Powder Coat



PGI-171

Length: 10 9/16"

Finish: Black Powder Coat



PGI-173

Length: 15 5/8"

Finish: Black Powder Coat



PGI-142

Length: 5 1/4"

Finish: Brushed Nickel



PGI-152

Length: 5 1/4"

Finish: Black Nickel



PGI-104

Length: 4 1/2"

Finish: Nickel



PGI-110

Length: 4 1/2"

Finish: Black Nickel



PGI-180

Length: 7 3/4"

Finish: Grey Powder Coat



PGI-181

Length: 7 3/4"

Finish: Taupe Powder Coat



PGI-113

Length: 6 1/4"

Finish: Satin Nickel



PGI-111

Length: 13"

Finish: Satin Nickel

 ADA-compliant



PGI-130

Length: 7 11/16"

Finish: Brushed Nickel



PGI-141

Length: 5 3/8"

Finish: Brass Powder Coat



PGI-121

Length: 14 1/4"

Finish: Black Powder Coat


Classic configuration



PGI-116

Length: 11 3/4"

Finish: Aluminum



PGI-114

Length: 15 3/4"

Finish: Aluminum

Heritage

Grade 4




NAVY




ASH




GREY



BLACK



OATMEAL



CARIBBEAN




RED

FIBER	100% Polyester	<ul style="list-style-type: none"> • Customer's own fabric selection (COM) is available. • Inquire with your Foliot sales manager regarding process. • In-stock option
ABRASION	130,000 Double Rubs	
CLEANING CODE	WS	
FLAMMABILITY	<ul style="list-style-type: none"> • California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1 	

Colors and patterns may differ from images. Samples available upon request.

Zenith


Grade 4



BLUE




OXFORD BLUE




DOVE




GREY




AGATE




EBONY




NUDE



DESERT PALM



GARNET




WALNUT

FIBER	65% Polyurethane 25% Polyester 10% Viscose	<ul style="list-style-type: none"> • Customer's own fabric selection (COM) is available. • Inquire with your Foliot sales manager regarding process. • In-stock option
ABRASION	130,000 Double Rubs	
CLEANING CODE	W	
FLAMMABILITY	California Technical Bulletin 117-2013 UFAC Class 1 NFPA 260 Class 1	

Colors and patterns may differ from images. Samples available upon request.


Other Textiles

Grade 4



LINEN CASHMERE


FIBER	100% Vinyl
BACKING	100% Brushed Polyester Knit
ABRASION	110,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	<ul style="list-style-type: none"> • California Technical Bulletin 117-2013 • NFPA 260 Class 1



DESERT OAK


NANotex™

FIBER	100% Polyurethane
BACKING	Nanotex
ABRASION	200,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	<ul style="list-style-type: none"> • California Technical Bulletin 117-2013 • NFPA 260 Class 1




TWEEDY

FIBER	100% Polyester
ABRASION	100,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	California Technical Bulletin 117-2013




D-4185 FEATHER

FIBER	100% Olefin
ABRASION	60,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	California Technical Bulletin 117-2013



BAYOU

FIBER	100% Polyester
ABRASION	80,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	California Technical Bulletin 117-2013



PORT OF SPAIN

FIBER	87% Polyester, 13% Acrylic
ABRASION	60,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	California Technical Bulletin 117-2013

Colors and patterns may differ from images. Samples available upon request.

Other Textiles

Grade 4



FLORA ROSE

FIBER	81% Polyester, 19% Acrylic
ABRASION	65,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	California Technical Bulletin 117-2013




SKY CHEVRON

FIBER	100% Polyester
ABRASION	50,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	California Technical Bulletin 117-2013




COPPER

FIBER	80% Polyurethane, 20% Polyester
ABRASION	30,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	California Technical Bulletin 117-2013



STAR BRUSHED BRONZE

FIBER	80% Polyurethane, 20% Polyester
ABRASION	30,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	California Technical Bulletin 117-2013



WISTERIA

FIBER	78% Polyvinyl, 6% Polyurethane, 16% Polyester
ABRASION	30,000 Single Rubs
CLEANING CODE	W
FLAMMABILITY	California Technical Bulletin 117-2013



LEISURE

FIBER	78% Polyvinyl, 6% Polyurethane, 16% Polyester
ABRASION	30,000 Single Rubs
CLEANING CODE	W
FLAMMABILITY	California Technical Bulletin 117-2013

Colors and patterns may differ from images. Samples available upon request.

Grommets



BLACK



WHITE

Outlets



BLACK



WHITE

Specifications

INPUT VOLTAGE	120V AC
TOTAL OUTPUT	15A
USB OUTPUT	1 USB-A & 1 USB-C
SURGE/OVERCURRENT PROTECTION	15A protection

CORD LENGTH	6 ft (1.83 m)
WALL PLUG ORIENTATION	90-degree space-saving plug
SAFETY FEATURES	<ul style="list-style-type: none"> • Tamper-resistant • Spill-resistant
CERTIFICATIONS	<ul style="list-style-type: none"> • UL STD 962-A, UL STD 1449 • CSA STD C22.2 No.308 & No.8

Colors and patterns may differ from images. Samples available upon request.

Manufacturing Locations.

1 (800) 545-5575
hospitality@foliot.com

Canada

Saint-Jérôme

721 Boulevard Roland-Godard
Saint-Jérôme, Quebec
J7Y 4C1

Mirabel

12275 Rue Helen Bristol
Mirabel, Quebec
J7N 1C7

USA

Las Vegas

7000 Placid Street
Las Vegas, Nevada
89119

